



**HEATSET  
COLDSET &  
SPECIALITY  
PRODUCTS**

# **Ultracem**

Selected pressroom products, matched to particular printing applications makes the world of difference for creating superb print quality with beneficial press care.

With the ever increasing technical demands of the printing industry, Ultrachem provides washes that meet full FOGRA approval for Heidelberg, MAN Roland Baldwin and Oxy-Dry specifications.

Also within Ultrachem's range are products developed using AIII category 55°C+ flash-point solvents, low aromatic and low VOC solvents in addition to other features that provide corrosion inhibition and low rubber swell.

Ultrachem makes a world difference.



*Ultrachem factory No2, Leeds, used for the development and manufacture of water-based and speciality pressroom products.*



## FOUNTAIN SOLUTIONS

### HEATSET

#### WEBMASTER HSF1

A highly advanced alcohol-free product for use with baked positive plates. HSF1 eliminates alcohol, feed back and piling. Suitable for all waters, HSF1 ensures stable ink/water balance and protection from bacteria build up.

Available in 25, 205 and 1000ltr containers.

#### WEBMASTER HSF2

A specially formulated product for unbaked positive plates. HSF2 will replace alcohol while still maintaining an excellent ink/water balance.

Available in 25, 205 and 1000ltr containers.

### COLDSET

#### SOLAFOUNT SPR

Specially formulated for use in spray dampening systems. Will not block jets and will run at the highest press speeds (up to 80.000cph).

Available in 25, 205 and 1000ltr containers.

#### SOLAFOUNT BRF

For use with all types of coldset dampening systems but is especially suited to brush dampening.

Available in 25, 205 and 1000ltr containers.

#### SOLAFOUNT 'T' RANGE

A fully formulated product with high levels of lubrication and plate protection to ensure fast re-starts on edition changes etc. and thereby reduce paper wastage.

Specially formulated to meet manufacturers' specifications on corrosion inhibition and especially suited to turbo dampening, the Solafount 'T' range usually requires a water analysis to match the product to the local water conditions.

- T1** - suitable for softer water conditions
- T2** - suitable for medium range water conditions
- T3** - for hard to very hard water types

Available in 25, 205 and 1000ltr containers.

# WASHES

## HEATSET

### PRIMA WASH WM

A medium evaporating, manual water miscible blanket and roller wash with medium to high solvent power. This is the ideal product for hand washing.

Available in 10, 25, 205 and 1000ltr containers.

### PRIMALOGIC AUTOWASH 50:50

A 100% non VOC AIII category solvent autowash. Oxy Dry and Baldwin approved.

Available in 10, 25, 205 and 1000ltr containers.

### NON VOC WASH

As its name implies, this non VOC product is an economy heatset web wash for all automatic wash-up systems. Although low cost, it still meets all the requirements of major automatic wash-up system manufacturers.

Available in 10, 25, 205 and 1000ltr containers.

## COLDSET

### NEWSPAPER WASH

A conventional general purpose blanket and roller wash for suitable most applications.

Available in 10, 25, 205 and 1000ltr containers.

### MEDIA WASH

Conforms to MAN specification, flash point  $>60^{\circ}\text{C}$  (AIII).

This water miscible wash can be diluted 50:50 with water for excellent economy and performance on both water soluble paper debris and solvent soluble ink residues.


Available in 10, 25, 205 and 1000ltr containers.

### HEADLINE WASH

A non aromatic, high flash point, non VOC wash. Complies with the latest environmental legislation without losing effectiveness in corrosion inhibition and cleaning power.

Available in 10, 25, 205 and 1000ltr containers.

*Part of Ultrachem's Factory No 1, used for the manufacture of solvent-based pressroom chemicals*



## SPECIALITY PRODUCTS

### SYSTEM CLEANER

For the complete cleaning of fountain solution re-circulating systems.

Available in 5, 10, and 25ltr containers.

### SILICONE EMULSION 30

A silicone emulsion which retexturises the web after ink heat setting. Contains an anti-stat.

Available in 25, 205 and 1000ltr containers.

### SILICONE EMULSION 60

A super concentrate silicone emulsion for web retexturing. Contains an anti-stat.

Available in 25, 205 and 1000ltr containers.

### QUICK START

A non VOC tack reducer which conditions blankets for quick and easy start-ups.

Available in 5, 10 and 25ltr containers.

### SOLVAST DB

Lithographic blanket rejuvenator.

Available in 5, 10 and 25ltr containers.



# Ultrachem



**SALES OFFICE:**

**TEL: 0845 305 1600 / 0870 305 1600**

**FAX: 020 7055 1531**

**SALES: [sales@ultrachem.co.uk](mailto:sales@ultrachem.co.uk)**

**[www.ultrachem.co.uk](http://www.ultrachem.co.uk)**