



GOLDENEYE

ULTRA UV LITHO SERIES



The **ULTRA UV Litho Series** is formulated and manufactured in Bristol using the latest technology and offering excellent press performance.

Suitable for the application on O/S Sheet-fed and Web O/S press types and configuration with most commercial fount additives.

All Goldeneye inks are formulated using the highest quality raw materials.

ULTRA

Formulated to have excellent print characteristics due to its improved strength and transfer properties. These inks contain 30-40% of materials from a renewable source. This series is recommended for secondary food packaging, where the printed surface of the packaging does not come into contact with the food-containing surface.

ULTRA LT (low tack) process inks are especially suited to low grammage stocks where "picking" can occur.

- High colour strength
- Excellent cure speed
- Good flow
- Optimum processing for laser and laminating
- Suitable for Food Packaging
- Conform to the "Acrylate Preference Criteria" APC
- Do not contain ITX or it's derivatives, Benzophenone or it's derivatives

Available in: 2.5kg, 5kg, 10kg plastic buckets and 2kg and 3.5kg cartridges.

ULTRA LM

A range of inks with the same characteristics as ULTRA but developed specially for the food and pharmaceutical packaging industry exhibiting very low migration characteristics, which



allows the printing on the outer side of primary food-packaging where the ink constituents come into contact with the food containing surface.

- The same as ULTRA properties, but includes:-
- High molecular weight Acrylates and Photo-initiators.
- Compliance with APC, European legislation, EuPIA Guidelines and Nestle Guidelines.

Available in: 2.5kg, 5kg, 10kg plastic buckets and 2kg and 3.5kg cartridges.

ULTRA PLASTICK

A series of inks formulated to adhere to non-absorbent substrates including plastic. Adhesion, even when un-varnished, should be achieved with excellent scotch tape resistance.

This product is suitable for secondary food packaging.

- Excellent ink/water balance
- Positive solid colour cure speeds.
- Good flow Conform to the "Acrylate Preference Criteria" APC
- Does not contain ITX or it's derivatives, or Benzophenone and its derivatives.

Available in: 2.5kg, 5kg, 10kg plastic buckets and 2kg and 3.5kg cartridges.

All these inks are suitable for O/S Sheefed and Web Offset Press types and compatible with most commercial fount types

DESCRIPTION	RESISTANCE PROPERTIES			
	LIGHT	SPIRIT	NITRO	ALKALI
PROCESS YELLOW	5	YES	YES	YES
PROCESS MAGENTA	5	YES	YES	NO
PROCESS CYAN	5	YES	YES	YES
PROCESS BLACK	5	YES	YES	YES



GOLDENEYE

SOUTHWAY DRIVE, NORTH COMMON,
WARMLEY, BRISTOL, BS30 5LW.
TELEPHONE: 020 7055 1589